Technical Note TN673

January 2016 • Elec



Summary

The varieties listed overleaf are recommended for use in Scotland First choice varieties are highlighted by capitals

Recently introduced first choice varieties are provisional ratings, pending further trials currently in progress

The agricultural industry in Scotland is co-operating in a scheme to ensure the continuation of the SRUC Recommended List of grass and clover varieties. The scheme, with the support of NFUS, AIC, SSTA and BSPB, involves a contribution for every Kilogram of herbage seed sold.

Merchants participating in the scheme have exclusive access to the detailed SRUC information on herbage varieties. Participating merchants display the special SRUC logo opposite on seed bags, and promotional literature.

Within each grass species, varieties are listed in order of heading date, i.e. 50% ear emergence. This is the date when ears are seen on 50% of the fertile stems. These dates, relative to 1st May, give the Relative Ear Emergence (REE). Thus, in an average year, the early perennial ryegrass variety AberTorch (T) (REE 20) heads on the 20th May, while the late variety Foxtrot (REE 49) heads on 18th June, almost four weeks later. The actual heading dates vary according to season and altitude but the relative order of heading remains fairly constant. Perennial ryegrass varieties have the widest range of heading dates and are divided into three maturity groups - early, intermediate and late. The range within each group can be 12 days or more. Timothy varieties similarly are in three groups, cocksfoot has two groups, early and late, while Italian and hybrid ryegrasses are now each considered as one group. Within each species there is a close relationship between heading date and important characteristics such as seasonality of growth, herbage quality and persistency. The REE value is shown for the earliest and latest variety within each blocked grouping.

White clovers are listed in order of leaf size. The small leaved are



SRUC

prostrate types, persistent and suited to continuous grazing, while large leaved are more erect and better suited to cutting or rotational grazing. The leaf size, relative to Grasslands Huia, is shown for the smallest and largest within each group. Red clovers are listed alphabetically within two flowering groups, early and late.

Tetraploid varieties are indicated by (T) after the name.

For more detailed information on variety attributes and performance, and their use in seed mixtures, contact your local SAC Consulting adviser or grassland specialist, or a participating merchant.

Perennial Ryegrass	Early
REE up to 30	REE
ANACONDA (T)	18
ABERTORCH (T)	20
GENESIS	
MOYOLA	25
KILREA	28
KIMBER	30
CARRAIG (T)	28
GLENVALE	30

Perennial Ryegrass	Inter
REE from 31-45	REE
MALONE (T)	31
SPELGA	
SOLOMON	
LEENANE (new)	
Rosalin (T)	
Citeliac (H) (T)	
MAGICIAN (T)	
ABERGLYN (T)	
Trintella (T)	
FINTONA (T)	32
BOYNE	02
GLENSTAL (T)	
SEAGOE (T)	
Tribal (T)	
AUBISQUE (T)	
RAMORE(T) (new)	
ABERCLYDE (T)	
EUROSTAR (T)	
NIFTY	
MOIRA	
ABERDART	
BREE	
CALIBRA (T)	38
ABERSTAR	39
GLENARIFF	
Arsenal	
Fennema	
GANDALF	
ABERWOLF	
ORANTAS	
RODRIGO	
PREMIUM	
Laguna	
ABERMAGIC	
ABERFARREL	
Calvano I	
COPELAND	
ASTONBONUS (T)	
ELYRIA (new)	
ASTONLORD	
ABERGREEN	
CONTRAST	
DUNLUCE (T)	
CALEDON (T) (new)	
MONTOVA (T)	
Orion (T)	
PENSEL (T)	
AstonDiamond (T)	45

Perennial Ryegrass Late REE over 45 REE BIJOU (T) 46 GLENCAR (T) Majestic ABERZEST DENVER Delphin (T) Delgado DRIFT (T) ALFONSO (T) Ensilvio ABERCRAIGS (T) MEIDUNO (T) GLENVEAGH ABERAVON Elgon (T) Stefani TYRELLA HURRICANE(T) (new) DUNDRUM (T) TODDINGTON ABERGAIN (T) NOVELLO (T) ASPECT (T) NAVAN (T) Romark Inoval Rorqual (T) FOXTROT CLANRYE PASTOUR Polim (T) MEZQUITA GLENROYAL Gladio DRUMBO ABERBITE (T) Cooper (T) TWYMAX (T) Tyrconnell Aston Princess (T) Bocage (T) 51 Portstewart 52 ASTONCHIEFTAIN KINTYRE (T) Xenon (T) Fornido (T) ABERPLENTIFUL (T) Cabriolet (T) Herbal (T) DUNLOY (T) Solas (T) Ideal (T) Tivoli (T) ABERCHOICE Millennium (T) Cancan Dromore Maurice (T) 60 Twystar

Italian Dava an	
Italian Ryegrass	
Fabio (T)	28
DORIKE (T)	
Virgyl (T)	
Barmega (T)	30
Inducer	
Barmultra II (T)	
GEMINI (T)	
Hunter	
Multimo (T)	
Edison (T)	
Bartissimo	
Salome (T)	
MERIBEL	
Fox	
Muriello	
Gordo	
Litonio (T)	
Ligrande	
Itaka	
ALAMO	
Danergo (T)	
Limeta	
Luciano	35
Lemtal RvP	
DAVINCI	
JAVORIO	
BELLUNA	
Kuri 1	
Barelli	
Howard	
Subito	40

Hybrid Ryegrass	
Palmata (T)	20
ABERECHO (T)	27
Lampard (T)	
Solid (T)	
Enduro (T)	
Aberexcel (T)	
ALLIANCE (T)	31
Citeliac (T)	
Drumlin (T)	
ASTONCRUSADER (T)	
HYMER (T)	
PIROL	
ABEREVE (T)	34
Tirna (T)	
Scapino (T)	
Storm (T)	39

Timothy	Early
REE up to 55	REE
Odenwalder	45
SCOTS	51
Presto	
DOLINA	
COMER	
Goliath	
PROMESSE	
ERECTA RvP	
COMTAL	55
REE 56-61	Inter
Moverdi	57
Motim	
REE over 61	Late
-	

Cocksfoot	Early
REE up to 28	REE
Dactus	24
ABERTOP	28
REE over 28	Late
SPARTA	29
PRAIRIAL	
Cambria	
LIDACTA	31

Festulolium	
AberNiche	37

White Clover	
	Small
Aberace	41
Galway	
ABER S184	70
GRASSLANDS DEMAND	
ABERPEARL	
RONNY	
Avalon	
RIVENDEL	82
	Medium
Saracen	Wieddani
CRUSADER	85
ABERCREST	00
ABERHERALD	
GRASSLANDS BOUNTY	
AVOCA	
IONA	
Grasslands Tribute	
ABERDAI	
Grasslands Huia	
ABERVANTAGE	
BUDDY	
VIOLIN	
MENNA	
MERWI	104
	Large
CHIEFTAIN	105
KATY	100
MAKURI	
Reisling	
MILKANOVA	
ALICE	
BARBLANCA	
Klondike	
ARAN	159
BRIANNA(new)	191



Authors:

D Lawson

Grassland Specialist SRUC Sandpiper House Ruthvenfield Road Inveralmond Ind. Estate Perth PH1 3EE 01738 636611 email: david.lawson@sruc.ac.uk

L J Baker

SRUC Temple Mount Auchincruive Ayr KA6 5HW

G Carr

SRUC MacRobert Farm Craibstone Estate Aberdeen AB21 9TT

A Drysdale

SRUC Sir Stephen Watson Building Bush Estate Penicuik EH26 0PH

SRUC receives support from the Scottish Executive Environment and Rural Affairs Department